

Perlight Solar Package Description

Technique Department

December 15th, 2010

Add: Muyu Administration District, Wenling
[Tel:0086-576-86472818](tel:0086-576-86472818) Fax:0086-576-86479190
E-mail: Info@perlightsolar.com.cn
[Http://www.perlightsolar.com.cn](http://www.perlightsolar.com.cn)



PERLIGHT

浙江宝利特新能源股份有限公司


PERLIGHT SOLAR CO., LTD.

2010.12.15

★Conversion of Package:



Old Package



New Package

★Superiority

✓ Larger capacity of modules' quantity in single-container, which effectively reducing the packing cost and rationally using of container space.

✓ Vertical placing of panels, this packing structure can effectively prevent vibrations of panels that caused by rupture during transportation.

Add: Muyu Administration District, Wenling
Tel: [0086-576-86472818](tel:0086-576-86472818) Fax: 0086-576-86479190
E-mail: Info@perlightsolar.com.cn
[Http://www.perlightsolar.com.cn](http://www.perlightsolar.com.cn)



√ Less packing time of panels. The single pallet can be done within 15-25min, which greatly improving production efficiency.

√ More easier unpacking way, which reducing the effects on the production efficiency and the environment that caused by excessive packing materials.

★New Standard Package Description:

Type		Package Information				
40GP	1580X808 125M 72Cells	Frame	35	40	46	50
		Pcs/pallet	29	26	23	21
		Pallets/container	28	28	28	28
	PLM-185 Series	Pcs/container	868	784	700	644
40HQ	1650X992 156P 60Cells	Frame	46	50		
		Pcs/pallet	23	21		
		Pallets/container	26	26		
	PLM-240Series/PLM-P230Series	Pcs/container	650	598		
40HQ	1966X992	Frame	46	50		



PERLIGHT

浙江宝利特新能源股份有限公司

PERLIGHT SOLAR CO., LTD.



	156M/P 72Cells	Pcs/pallet	23	21		
		Pallets/container	22	22		
	PLM-300Series/PLM-P280Series	Pcs/container	550	506		

Note: On the top of pallet, where can place 4pcs panels within 2 cartons.

★Pallet information

Wooden Pallets' size as follows:

Type	125M 72cells	156P 60cells	156M/P 72cells
Pallet(mm)	1638x1122/1135x120	1707x1122/1135x120	2024x1122/1135x120

It is required to stack two small pallets from top to bottom when packing, so the center must increase a 10mm size wooden pallet.

Note: It must ensure that forklift can scrap the pallets from four sides. The pallet is made of fumigation plywood, which can effectively bear the capacity weight above the gross weight of a small pallet.

★Carton Information:

The material of carton paper must be ABC corrugated cardboard of five floors, and the thickness is not less than 10mm; the upper and lower lids can use AB corrugated cardboard of five floors, and the thickness is not less than 5 mm.

★Carton Printing instructions:

Item	Font	Size	Note
地址 (Add...)	Arial	50	black


Add:Muyu Administration District,Wenling
 Tel:0086-576-86472818 Fax:0086-576-86479190
 E-mail:Info@perlightsolar.com.cn
 Http://www.perlightsolar.com.cn



PERLIGHT

浙江宝利特新能源股份有限公司

PERLIGHT SOLAR CO., LTD.



SOLAR MUDULE	Arial	45	black
Model: PLM-XXXM	Arial	45	black
N.W G.W QTY	Arial	45	黑色
CE,TUV etc.	Picture format	70x80mm	Black and blue
Perlight Logo	Picture format	250x180mm	blue

Perlight Solar-color card: CMYK format, Color ingredients for Y:100 M:80 C:0 K:0

★Single-pallet packing must be done as following steps:



1. Put away empty pallet.



2. place bottom cover.



3. Put away the carton.



4. Scan the bar code on the back of panel.



Add:Muyu Administration District,Wenling
 Tel:0086-576-86472818 Fax:0086-576-86479190
 E-mail:Info@perlightsolar.com.cn
 Http://www.perlightsolar.com.cn



PERLIGHT

浙江宝利特新能源股份有限公司

PERLIGHT SOLAR CO., LTD.

2010.12.15



8. Do corners protection of outside carton.



7. place panels into the carton orderly.



6. the 1st panel's glass surface is outward.



5. Do corners protection of panels.



9. Place upper cover and place a 10mm size wooden board.



10. Fix the strapping well with corners.



11. Place packing list in the right way.



12. Record power data and place the stretch film.

★集装箱装柜方式:

Add: Muyu Administration District, Wenling
Tel: 0086-576-86472818 Fax: 0086-576-86479190
E-mail: Info@perlightsolar.com.cn
Http://www.perlightsolar.com.cn



PERLIGHT

浙江宝利特新能源股份有限公司

PERLIGHT SOLAR CO., LTD.


2010.12.15



1. Stack two pallets, strapping, stretch film protection.



2. load the pallets by forklift.



3. Put the big pallets into container orderly.

Add: Muyu Administration District, Wenling

Tel: [0086-576-86472818](tel:0086-576-86472818) Fax: 0086-576-86479190

E-mail: Info@perlightsolar.com.cn

Http: www.perlightsolar.com.cn